





UNITED ATES DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT		ATTORNEY DOCKET NO.
07/421-633	10/12/89	CHEVALIER	A	65927786X00


ANTONELLI, TERRY & WANDS
SUITE 600
1919 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20006

EXAMINER			
JOHNSON, S			
ART UNIT	PAPER NUMBER		
2201	٩		

DATE MAILED: 02/21/92

Below is a communication from the EXAMINER in charge of this application COMMISSIONER OF PATENTS AND TRADEMARKS

ADVISORY ACTION			
THE PERIOD FOR RESPONSE:			
is extended to run from the date of the Final Rejection			
continues to run 6 months from the date of the Final Rejection			
expires three months from the date of the final rejection or as of the mailing date of this Advisory Action, whichever is later. In no event however, will the statutory period for response expire later than six months from the date of the final rejection.			
Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date that the shortened statutory period for response expires as set forth above.			
Appellant's Brief is due in accordance with 37 CFR 1.192(a).			
Applicant's response to the final rejection, filed on a little has been considered with the following affect, but it is not deemed to place the application in condition for allowance:			
1. The proposed amendments to the claim and/or specification will not be entered and the final rejection stands because:			
a. There is no convincing showing under 37 CFR 1.116(b) why the proposed amendment is necessary and was not earlier presented.			
b. They raise new issues that would require further consideration and/or search. (See Note).			
c. They raise the issue of new matter. (See Note).			
d. 🔲 They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.			
e. They present additional claims without cancelling a corresponding number of finally rejected claims.			
NOTE:			
2. Newly proposed or amended claims would be allowed if submitted in a separately filed amendment cancelling the non-allowable claims.			
3. Upon the filing of an appeal, the proposed amendment will be will not be, entered and the status of the claims in this application would be as follows:			
Allowed claims: Claims 1, 3-9, and 11-12			
Claims objected to: Claims rejected: Claims \(\mathbb{H}\)			
However;			
 a. The rejection of claims on references is deemed to be overcome by applicant's response. b. The rejection of claims on non-reference grounds only is deemed to be overcome by applicant's response. 			
4. The affidavit, exhibit or request for reconsideration has been considered but does not overcome the rejection.			
5. The affidavit or exhibit will not be considered because applicant has not shown good and sufficient reasons why it was not earlier presented.			
☐ The proposed drawing correction ☐ has ☐ has not been approved by the examiner.			
* Other The substitute execution time a/14/02 has been disapproved.			
See attachement			



- 1. i. "A substitute specification may not be accepted unless it has been required by the examiner or unless it is clear to the examiner that acceptance of a substitute specification would facilitate processing of the application.",
- ii. "A substitute specification will normally be accepted by the Office even if it has not been required by the examiner. ... Substitute specifications will be accepted if applicant submits therewith a **marked-up copy** which shows the portions (of the original specification) showing additions and deletions. Additions should be indicated by underlining and deletions should be indicated between brackets." (see MPEP 608.01(q)).
- 2. An inquiry concerning this communication should be directed to Stephen M. Johnson at telephone number 703-308-0513.

rogental. When

STEPHEN JOHNSON